

APPENDIX

The Concise Oxford Dictionary

TENTH EDITION

Edited by

Judy Pearsall

OXFORD
UNIVERSITY PRESS

OXFORD

UNIVERSITY PRESS

Great Clarendon Street, Oxford, OX2 6DP

Oxford University Press is a department of the University of Oxford.

It furthers the University's objective of excellence in research, scholarship, and education by publishing worldwide in

Oxford New York

Athens Auckland Bangkok Bogot  Buenos Aires Calcutta
Cape Town Chennai Dar es Salaam Delhi Florence Hong Kong Istanbul
Karachi Kuala Lumpur Madrid Melbourne Mexico City Mumbai
Nairobi Paris S o Paulo Singapore Taipei Tokyo Toronto Warsaw
with associated companies in Berlin Ibadan

Oxford is a registered trade mark of Oxford University Press
in the UK and in certain other countries

Published in the United States
by Oxford University Press Inc., New York

  Oxford University Press 1999

Database right Oxford University Press (makers)

First published 1999

All rights reserved. No part of this publication may be reproduced,
stored in a retrieval system, or transmitted, in any form or by any means,
without the prior permission in writing of Oxford University Press,
or as expressly permitted by law, or under terms agreed with the appropriate
reprographics rights organization. Enquiries concerning reproduction
outside the scope of the above should be sent to the Rights Department,
Oxford University Press, at the address above

You must not circulate this book in any other binding or cover
and you must impose this same condition on any acquirer

British Library Cataloguing in Publication Data
Data available

Library of Congress Cataloging in Publication Data
The concise Oxford dictionary.—10th ed./edited by Judy Pearsall.
p. cm. Rev. ed. of: The concise Oxford dictionary of current English.
9th ed. 1995
1. English language—20th century—Dictionaries. 2. English language—
New words—Dictionaries. I. Pearsall, Judy. II. Concise Oxford dictionary
of current English.
PE1628.C68 1999 423—dc21 99-20834
ISBN 0-19-860259-6
ISBN 0-19-860287-1 (thumb index)

10 9 8 7 6 5 4 3 2 1

Typeset in Arial, Nimrod, and Minion
by Interactive Sciences Ltd, Gloucester
Printed in the United States of America

surfaces within or attached to the
 2 the vertical plates arranged radi-
 ide of mushrooms and many toad-
 wattles or dewlap of a fowl. ● v. 1 gut
 atch (a fish) in a gill net.
 out (or around) the gills sickly-
 s until completely full.

1 adj.

N.
 of liquid measure, equal to a quarter

Fr. *gille* 'measure or container for
 illo 'water pot'.

● n. chiefly N. English 1 a deep ravine,
 one. 2 a narrow mountain stream.
 3 'gil' 'deep glen'.

● n. a female ferret. Compare with

of the given name *Gillian*.

of skin protecting a fish's gills, typic-
 ally plates.

lie) ● n. 1 (in Scotland) an attendant
 ing expedition. 2 historical a Highland
 a type of shoe with laces along the
 e, as used for Scottish country dan-

Gaelic *gille* 'lad, servant'.

net which is hung vertically so that
 by their gills.

ter n.
 ua/ (also *gilliflower*) ● n. any of a
 flowers, such as the wallflower or

the sense 'clove'), from OFr. *gilofre*,
 om Gk *karophyllon* (from *karuon*
).

nly with gold leaf or gold paint. ● n.
 unt applied in a thin layer to a sur-
 interest loan securities issued by the

last part of *GILD*.

gyltr.

ating to or denoting stocks or secur-
 that are regarded as extremely re-

also *gimbals*) ● n. a contrivance for
 nt such as a compass or chronom-
 moving vessel or aircraft.

led adj.
 arlier *gimmel*, itself a var. of ME
 om OFr. *gemel* 'twin'.

./ ● adj. showy but flimsy or poorly
 d showy ornament.

ckery n.
 of unknown origin.
 a small T-shaped tool with a screw-
 a cocktail of gin or vodka and lime

guimbelet, dimin. of *guimble* 'drill'.

re with a piercing stare.

nyed adj.
 give me. ● n. chiefly N. Amer. something
 or obtain.

or device intended to attract atten-
 a useful purpose.

kry n. *gimmicky* adj.
 3 'piece of magicians' apparatus':
 anagram of *magic*.

/isted, reinforced material used as
 2 (in lacemaking) coarser thread
 'the design. 3 fishing line made of

informal, derogatory ● n. 1 a physically
 person. > a limp. 2 a feeble or con-
 limp; hobble.

m man | n no | p pen | r red

DERIVATIVES *gimpy* adj.

ORIGIN 1920s: of unknown origin.

gin' ● n. 1 a clear alcoholic spirit distilled from grain or
 malt and flavoured with juniper berries. 2 (also *gin*
rummy) a form of the card game rummy.

ORIGIN C18: abbrev. of *GAMBEAU*.

gin' ● n. 1 a machine for separating cotton from its seeds.
 2 a machine for raising and moving heavy weights. 3 a
 trap for catching small game. ● v. (ginned, ginning)
 treat (cotton) in a gin.

DERIVATIVES *ginner* n. *ginners* n.

ORIGIN ME (in the sense 'a tool or device, a trick'): from
 OFr. *engin* (see *ENGINE*).

gin' ● n. Austral. offensive an Aboriginal woman.

ORIGIN from Dharuk *diyin* 'woman, wife'.

ginger ● n. 1 a hot, fragrant spice made from the rhizome
 of a plant. 2 a SE Asian plant, resembling bamboo in
 appearance, from which ginger is taken. [*Zingiber*
officinale] See also *WILD GINGER*. 3 a light reddish-yellow
 colour. 4 spirit; mettle. ● v. 1 (usu. as adj. *gingered*) flavour
 with ginger. 2 (ginger someone/thing up) stimulate or
 enliven someone or something.

DERIVATIVES *gingery* adj.

ORIGIN OE *gingifer*, conflated in ME with OFr. *gingimbre*,
 from med. L. *gingiber*, from Gk *zingiberis*, from Pali
singivera, of Dravidian origin.

ginger ale (also *ginger beer*) ● n. an effervescent, some-
 times alcoholic drink flavoured with ginger.

gingerbread ● n. 1 cake made with treacle or syrup and
 flavoured with ginger. 2 informal fancy decoration on a
 building.

PHRASES *take the gilt off the gingerbread* make some-
 thing no longer attractive or desirable.

ORIGIN ME, from OFr. *gingembrat*, from med. L.
gingibratum, from *gingiber* (see *GINGER*).

ginger group ● n. chiefly Brit. a highly active faction
 within a party or movement that presses for stronger ac-
 tion on a particular issue.

gingerly ● adv. in a careful or cautious manner. ● adj.
 showing great care or caution.

DERIVATIVES *gingerliness* n.

ORIGIN C16 (in the sense 'daintily, mincingly'): perh. from
 OFr. *gensor* 'delicate', compar. of *gent* 'graceful', from L.
genitus '(well-) born'.

ginger nut ● n. a hard ginger-flavoured biscuit.

gingham /'gɪŋəm/ ● n. lightweight plain-woven cotton
 cloth, typically checked.

ORIGIN C17: from Du. *gingang*, from Malay *genggang*
 (orig. an adj. meaning 'striped').

gingili /'dʒɪndʒɪli/ ● n. (in Indian cookery) sesame.

ORIGIN from Hindi and Marathi *jīṛjālī*, from Arab.
jujūlān.

gingival /'dʒɪn'dʒaɪv(ə)/ ● adj. Medicine concerned with
 the gums.

ORIGIN C17: from L. *gingiva* 'gum' + -AL.

gingivitis /'dʒɪn'dʒɪ'vaɪtɪs/ ● n. Medicine inflammation of
 the gums.

ginglymus /'gɪŋɡlɪməs/ ● n. (pl. *ginglymi* /-maɪ/) Anatomy
 a hinge-like joint such as the elbow or knee.

ORIGIN C16: mod. L., from Gk *ginglymos* 'hinge'.

gink /'gɪŋk/ ● n. informal, chiefly N. Amer. a foolish or contempt-
 ible person.

ORIGIN C20: of unknown origin.

ginkgo /'gɪŋkəʊ, 'gɪŋkəʊ/ (also *gingko*) ● n. (pl. -oes or
 -os) a deciduous Chinese tree related to the conifers,
 with fan-shaped leaves and yellow flowers. [*Ginkgo*
biloba.]

ORIGIN C18: from Japanese *ginkyō*, from Chin. *yinxing*.

gin mill ● n. N. Amer. informal a seedy nightclub or bar.

ginnet /'gɪn(ə)/ ● n. N. English a narrow passage between
 buildings; an alley.

ORIGIN C17: perh. from Fr. *chenel* 'channel'.

ginormous ● adj. Brit. informal extremely large.

ORIGIN 1940s (orig. military sl.): blend of *GIANT* and
ENORMOUS.

ginseng /'dʒɪnsɛŋ/ ● n. 1 a plant tuber credited with
 various tonic and medicinal properties. 2 the plant from

which this tuber is obtained, native to east Asia and
 North America. [Genus *Panax*: several species.]

ORIGIN C17: from Chin. *rénshēn*, from *rén* 'man' + *shēn*, a
 kind of herb (because of the supposed resemblance of the
 forked root to a person).

ginzo /'gɪnzəʊ/ ● n. US informal, derogatory a person of Italian
 descent.

ORIGIN C20: perh. from US sl. *Guinea*, denoting an Ital. or
 Sp. immigrant.

gip ● n. variant spelling of *GYP*.

gippo ● n. variant spelling of *GYPPO*.

gippy tummy /'dʒɪpi/ ● n. Brit. informal diarrhoea affecting
 visitors to hot countries.

ORIGIN 1940s: *gippy*, abbrev. of *EGYPTIAN*.

gipsy ● n. variant spelling of *GYPSEY*.

giraffe ● n. (pl. same or *giraffes*) a large African mam-
 mal with a very long neck and forelegs, the tallest living
 animal. [*Giraffa camelopardalis*.]

ORIGIN C16: from Fr. *girafe*, Ital. *giraffa*, or Sp. and Port.
girafa, based on Arab. *zarāfa*.

girandole /'dʒɪr(ə)ndəʊl/ ● n. a branched support for
 candles or other lights.

ORIGIN C17: from Fr., from Ital. *girandola*, from *girare*
 'gyrate, turn'.

girasol /'dʒɪrəsəl, -səʊl/ (also *girasole* /-səʊl/) ● n. 1 a
 kind of opal reflecting a reddish glow. 2 North American
 term for *JERUSALEM ARTICHOKE*.

ORIGIN C16 (in the sense 'sunflower'): from Fr., or from
 Ital. *girasole*, from *girare* 'to turn' + *sole* 'sun'.

gird' ● v. (past and past part. *girded* or *girt*) poetic/literary. 1
 encircle or secure with a belt or band. 2 (often in phr.
gird one's loins) prepare and strengthen oneself for
 what is to come.

ORIGIN OE *gyrdan*, of Gmc origin; rel. to *GIRDLE* and
GIRTH.

gird' archaic ● v. make cutting or critical remarks. ● n. a
 cutting or critical remark; a taunt.

ORIGIN ME (in the sense 'strike, stab'): of unknown ori-
 gin.

girdler ● n. a large metal beam used in building bridges
 and large buildings.

ORIGIN C17: from *GIRD* in the archaic sense 'brace,
 strengthen'.

girdle' ● n. 1 a belt or cord worn round the waist. 2 a
 woman's elasticated corset extending from waist to
 thigh. 3 the part of a cut gem dividing the crown from the
 base and embraced by the setting. 4 a ring made around
 a tree by removing bark. ● v. 1 encircle with a girdle or
 belt. > surround; encircle. 2 kill (a tree or branch) by
 cutting through the bark all the way round.

DERIVATIVES *girdler* n.

ORIGIN OE *gyrdel*, of Gmc origin; rel. to *GIRD* and
GIRTH.

girdle' ● n. Scottish and northern English term for *GRID-
 DLE* (in sense 1).

girl ● n. 1 a female child. 2 a young or relatively young
 woman. > (girls) informal women who mix socially or be-
 long to a group or team. > a person's girlfriend. 3 dated a
 female servant.

DERIVATIVES *girlhood* n. *girlish* adj. *girlishly* adv. *girlish-
 ness* n.

ORIGIN ME (denoting a child or young person of either
 sex); perh. rel. to Low Ger. *gōr* 'child'.

girlfriend ● n. a person's regular female companion in a
 romantic or sexual relationship. > a woman's female
 friend.

Girl Guide ● n. a member of the Guides Association.


girlie ● n. (also *grlty*) (pl. -ies) informal a girl or young
 woman. ● adj. 1 (usu. *girlty*) often derogatory like or charac-
 teristic of a girl. 2 depicting nude or partially nude
 young women in erotic poses: *girlie magazines*.

Girl Scout ● n. a girl belonging to the Scout Associ-
 ation.

girn ● v. variant spelling of *GURN*.

giro /'dʒaɪrəʊ/ ● n. (pl. -oes) 1 a system of electronic credit
 transfer involving banks, post offices, and public util-
 ities. 2 a cheque or payment by giro, especially a social

a sit | t top | v voice | w we | z zoo | j she | 3 decision | θ thin | ð this | ŋ ring | x loch | tʃ chip | dʒ jar



Already a member?

LOGIN

Encyclopædia Britannica - the Online Encyclopedia

Home | Blog | Advocacy | Board | Newsletters | International | Store | Free Trial

Search

Britannica Online



Browse

SUBJECTS

A TO Z

THE INDEX

This Article's
Table of Contents

• ginseng

Print this Table of Contents

Shopping



New! Britannica Book of
the Year
The Ultimate Review of
2007.



2007 Britannica
Encyclopedia Set (32-
Volume Set)
Revised, updated, and
still unrivaled.



New! Britannica 2008
Ultimate DVD/CD-ROM
The world's premier
software reference
source.

Maximize your Google searches with Britannica. Click [here](#) to learn more.



Concise Encyclopedia Article

Page 1 of 1

PRINT PAGE • PRINT ARTICLE • E-MAIL ARTICLE • CITE ARTICLE

You are viewing a brief summary article.
Members can log in to view the full article.

Share Full Articles

Either of two herbs of the family Araliaceae or their roots, which have long been used as a drug in East Asia and as the ingredient for a stimulating tea. *Panax quinquefolium*, the North American ginseng, is native from Quebec and Manitoba southward to the coasts of the Gulf of Mexico.

Asian ginseng (*P. schinseng*) is native to northeastern China and Korea and is cultivated in Korea and Japan. Ginseng has a sweetly aromatic flavour. Its root has long been regarded by the Chinese as a panacea for illness; its purported effects include improved mental performance, ability to learn, and memory and sensory awareness.

Get the full article with a FREE Trial

Members Get More!
More results when you join

Free	For Members
	<ul style="list-style-type: none"> Encyclopedia Britannica articles Student articles Images, video and media Magazine articles Web sites Concise articles
Free	For Members

Subscribe to unlock this
content today!

Start your FREE Trial

ENCYCLOPEDIA
Britannica

The Ultimate
Year in
Review

GET IT NOW


FREE GIFT!

ADVERTISEMENT

About Us | Privacy Policy | Terms of Use | Legal Notices | Contact Us | Britannica Store | Britannica Concise |

your  dictionary.com™ Search

ginseng

Build your vocabulary with our
FREE Word of the Day email! Enter email address

ginseng definition

gin-seng (jin'sen')**adjective**

designating a family (Araliaceae, order Apiales) of dicotyledonous plants, shrubs, and trees, usually having flat clusters of small, white or greenish flowers and, often, fragrant leaves, including Hercules'-club and English ivy

Etymology: Chin *jēn shēn* < *jēn*, man (from the shape of the root) + *shēn*, the constellation Orion

noun

1. any of several perennial herbs (genus *Panax*) of the ginseng family, with thick, forked, aromatic roots, esp. a Chinese species (*P. pseudoginseng*) and a North American species (*P. quinquefolium*)
2. such a root, or a preparation made from it, used as a tonic

browse the [dictionary](#)◀ [Ginsburg](#)◀ [Ginsberg](#)◀ [Ginnie Mae](#)◀ [Ginnie](#)[ginzy trading](#) ▶[Gioconda](#) ▶[giocoso](#) ▶[Giorgione](#) ▶Webster's New World College DictionaryCopyright © 2005 by Wiley Publishing, Inc., Cleveland, Ohio.
Used by arrangement with John Wiley & Sons, Inc.Webster's New World Roget's A-Z ThesaurusCopyright © 1999 by Wiley Publishing, Inc., Cleveland, Ohio.
Used by arrangement with John Wiley & Sons, Inc.Webster's New World Finance and Investment DictionaryCopyright © 2003 by Wiley Publishing, Inc., Indianapolis, Indiana.
Used by arrangement with John Wiley & Sons, Inc.Webster's New World Law DictionaryCopyright © 2006 by Wiley Publishing, Inc., Hoboken, New Jersey.
Used by arrangement with John Wiley & Sons, Inc.Webster's New World Hacker DictionaryCopyright © 2006 by Bernadette Schell and Clemens Martin.
Published by Wiley Publishing, Inc., Indianapolis, Indiana.
Used by arrangement with John Wiley & Sons, Inc.Audio pronunciation provided by LoveToKnow, Corp.
© 1996-2007 LoveToKnow, Corp. All Rights Reserved.**Korean Red Ginseng**

See what the "Genuine" ginseng means Ensure the highest quality product

www.kgc.or.kr**What Is Ginseng?**

Ginseng Articles & Pics Symptoms, Causes, Treatments, More.

www.healthline.com**Wild Ginseng**

Buyers of Wild Ginseng-Green & Dry We welcome General Public, Dealers

www.wiebketrading.com**"How I Lost 55 Pounds"**

Amazing Chinese Weight Loss Secret As Seen On CNN, NBC & Fox News

www.EasyWeightLossTea.com

Ads by Google

Ginseng

From Wikipedia, the free encyclopedia

Ginseng refers to species within ***Panax***, a genus of 11 species of slow-growing perennial plants with fleshy roots, in the family Araliaceae. They grow in the Northern Hemisphere in eastern Asia (mostly northern China, Korea, and eastern Siberia), typically in cooler climates; *Panax vietnamensis*, discovered in Vietnam, is the southernmost ginseng found. This article focuses on the Series *Panax* ginsengs, which are the adaptogenic herbs, principally *Panax ginseng* and *Panax quinquefolius*. Ginseng is characterized by the presence of ginsenosides.

Siberian ginseng (*Eleutherococcus senticosus*) is not a ginseng at all. It is another adaptogen, but a different species named "Siberian ginseng" as a marketing ploy; instead of a fleshy root, it has a woody root; instead of ginsenosides, eleutherosides are present, (see below).

Contents

- 1 Etymology
- 2 Traditional uses
- 3 Modern science and ginseng
- 4 Ginseng and reproductive activity
- 5 Side effects
- 6 Overdose
- 7 Common classification
- 8 *Panax quinquefolius* American ginseng (root)
- 9 *Panax ginseng* Asian ginseng (root)
 - 9.1 Red ginseng
 - 9.2 Wild ginseng
 - 9.3 Ginseng alternatives
- 10 References
- 11 See also
- 12 External links

Etymology

The English word ginseng derives from the Chinese term *rénshēn* (simplified: 人参; traditional: 人蔘), literally "man root" (referring to the root's characteristic forked shape, resembling the legs of a man). The difference between *rénshēn* and "ginseng" is explained by the fact that the English pronunciation derives from a Japanese reading of these Chinese

Ginseng



Panax quinquefolius foliage and fruit

Scientific classification

Kingdom: Plantae
 Division: Magnoliophyta
 Class: Magnoliopsida
 Order: Apiales
 Family: Araliaceae
 Subfamily: Aralioideae
 Genus: ***Panax***
 L.

Species

Subgenus *Panax*

Section *Panax*

Series *Notoginseng*
Panax
notoginseng

Series *Panax*

Panax
bipinnatifidus
Panax ginseng
Panax
japonicus
Panax
quinquefolius
Panax
vietnamensis
Panax
wangianus
Panax
zingiberensis

Section *Pseudoginseng*

characters. However, the current Japanese word for these characters 人參 (ninjin) means carrot, and ginseng is referred to in Japanese as 朝鮮人參 (chosen ninjin), adopting the name of the last dynasty of Korea 朝鮮 (Choson). The Korean name is 고려인삼 高麗人參 (goryo insam).

The botanical name *Panax* means "all-heal" in Greek, and was applied to this genus because Linnaeus was aware of its wide use in Chinese medicine.

Panax
pseudoginseng
Panax
stipuleanatus

Subgenus *Trifolius*

Panax trifolius

Traditional uses

Both American and Panax (Asian) ginseng roots are taken orally as adaptogens, aphrodisiacs, nourishing stimulants, and in the treatment of type II diabetes, including sexual dysfunction in men. The root is most often available in dried form, either in whole or sliced form. Ginseng leaf, although not as highly prized, is sometimes also used; as with the root it is most often available in dried form.

This ingredient may also be found in some popular Energy Drinks: usually the "tea" varieties or Functional Foods. Usually ginseng is in subclinical doses and it does not have measurable medicinal effects. It can be found in cosmetic preparations as well, with similar lack of effect. It is considered a wasteful use of important herbs by herbalists.

Ginseng root can be double steamed with chicken meat as a soup. (See samgyetang.)

Modern science and ginseng

As with herbalism in general, ginseng's medical efficacy remains controversial. It has been difficult to verify the medicinal benefits of ginseng using modern science, as there are contradictory results from different studies, possibly due to the wide variety and quality of ginseng used in studies. Another issue is the profit potential of corporate research since ginseng cannot be patented. As a result, high-quality studies of the effects of ginseng are rare, and one of the better studies involving ginseng actually uses a proprietary ginseng extract.^[1]

Ginseng is promoted as an adaptogen (a product that increases the body's resistance to stress), one which can to a certain extent be supported with reference to its anticarcinogenic and antioxidant properties,^[2] although animal experiments to determine whether longevity and health were increased in the presence of stress gave negative results.^[3]

A comparative, randomized and double-blind study at the National Autonomous University of Mexico does indicate it to be "a promising dietary supplement" when assessed for an increase in quality of life^[4]. It should be noted, however, that exclusion rates in this study were high. 124 participants were excluded from this study "due to lack of compliance with the treatment" whereas 164 participants in the control group and 338 participants in the ginseng group completed the study.

Panax ginseng appear to inhibit some characteristics associated with cancer in animal models; nevertheless, this effect is unclear in humans.^[5]

There are references in the literature, including seemingly authoritative compendiums that appear to

show interactions with ginseng. Herbalist Jonathan Treasure of the United States National Institute of Mental Health traces the growth of misinformation on an alleged adverse herb-drug interaction between the monoamine oxidase inhibitor phenelzine and Asian ginseng (*Panax ginseng* C.A. Meyer). This originally was mentioned in a 1985 editorial by Shader and Greenblatt in the *Journal of Clinical Psychopharmacology*. Shader and Greenblatt devoted a couple of lines to the case of 64 year-old woman who took an undisclosed dose for an undisclosed time of a dietary supplement product called "Natrol High" while concurrently taking phenelzine 60 mg qd. She experienced symptoms of "insomnia, headache, and tremulousness". Treasure contacted Natrol by email and discovered within ten minutes that there was no *Panax ginseng* in the formula, but instead *eleutherococcus* which was then called by the popular name "Siberian ginseng" and it was given in a subclinical dosage mixed with a variety of other herbs. The purported interaction effects are well-known side effects of phenelzine alone, which had been given in a high dosage and are not at all suggestive of *eleutherococcus*. However this misinformed article with a misidentified herb has been picked up in literature searches, megastudies and is now documented by conventional medical authorities such as Stockley's, and is repeated in several botanical monographs e.g. World Health Organization (WHO 1999).^{[6][7][8]}

Ginseng and reproductive activity

A 2002 study by the Southern Illinois University School of Medicine (published in the annals of the New York Academy of Sciences) found that in laboratory animals, both Asian and American forms of ginseng enhance libido and copulatory performance. These effects of ginseng may not be due to changes in hormone secretion, but to direct effects of ginseng, or its ginsenoside components, on the central nervous system and gonadal tissues^[9] In males, ginsenosides can facilitate penile erection.^[10] This is consistent with traditional Chinese medicine and Native American medicinal uses of ginseng.

Ginseng is known to contain phytoestrogens. PMID 12568360, PMID 12161497, PMID 12732291

Side effects

One of *Panax ginseng*'s most common side-effects is the inability to sleep.^[11] Other side-effects include nausea, diarrhea, euphoria, headaches, epistaxis, high blood pressure, low blood pressure, mastalgia, and excessive menstruation.^[12]

Overdose


The common adaptogen ginsengs (*Panax ginseng* and *Panax quinquefolia*) are generally considered to be relatively safe even in large amounts.

Panax ginseng is not recommended within Chinese Medicine to be administered along with anti-infective herbs unless a person is quite debilitated, because of the fear that the pathogen will be tonified. Herbalists in China believed this and according to Xu Dachun in his brief essay on ginseng (1757 A.D., during the Qing Dynasty): "if one administers Ginseng of a purely supplementing nature, then one will merely supplement the evil influences and help them settle down. In minor cases, the evil influences will, as a result of such mistaken therapy, never leave the body again. In serious cases, death is inevitable."^[13]

Common classification

Panax quinquefolius American ginseng (root)

Ginseng that is produced in the United States and Canada is particularly prized in Chinese societies, and many ginseng packages are prominently colored red, white, and blue. According to Traditional Chinese Medicine, American Ginseng promotes Yin energy, cleans excess Yang in the body, calms the body. The reason it has been claimed that American ginseng promotes Yin (shadow, cold, negative, female) while East Asian ginseng promotes Yang (sunshine, hot, positive, male) is that, according to traditional Korean medicine, things living in cold places are strong in Yang and vice versa, so that the two are balanced. Chinese/Korean ginseng grows in northeast China and Korea, the coldest area known to many Koreans in traditional times. Thus, ginseng from there is supposed to be very *Yang*. Originally, American ginseng was imported into China via subtropical Guangzhou, the seaport next to Hong Kong, so Chinese doctors believed that American ginseng must be good for *Yin*, because it came from a hot area. However they did not know that American ginseng can only grow in temperate regions. Nonetheless the root is legitimately classified as more *Yin* because it generates fluids.^[14]



Ginseng roots in a market in Seoul, 2003

The two main components of ginseng are in different proportions in the Asian and American varieties, and may well be the cause the excitatory versus tonic natures.^[4]

The ginseng is sliced and a few slices are simmered in hot water to make a decoction. Most North American ginseng is produced in the Canadian provinces of Ontario and British Columbia and the American state of Wisconsin, according to Agri-food Canada. *P. quinquefolius* is now also grown in northern China. A randomized, double-blind study shows that an extract of American ginseng reduces influenza cases in the elderly when compared to placebo.^[1]

Panax ginseng Asian ginseng (root)

According to Traditional Chinese Medicine Panax Ginseng promotes Yang energy, improves circulation, increases blood supply, revitalizes and aids recovery from weakness after illness, stimulates the body. Panax Ginseng is available in two forms:

The form called **white ginseng** is grown for four to six years, and then peeled and dried to reduce the water content to 12% or less. White Ginseng is air dried in the sun and may contain less of the therapeutic constituents. It is thought by some that enzymes contained in the root break down these constituents in the process of drying. Drying in the sun bleaches the root to a yellowish-white color.

The form called **red ginseng** is harvested after six years, is not peeled and is steam-cured, thereby giving them a glossy reddish-brown coloring. Steaming the root is thought to change its

biochemical composition and also to prevent the breakdown of the active ingredients. The roots are then dried.

Red ginseng


Red ginseng (Korean=홍삼, simplified Chinese: 红参; traditional Chinese: 紅參), is *Panax ginseng* that has been heated, either through steaming or sun-drying. It is frequently marinated in an herbal brew which results in the root becoming extremely brittle. This version of ginseng is traditionally associated with stimulating sexual function and increasing energy. Red ginseng is always produced from cultivated roots, usually from either China or South Korea.

In 2002, a preliminary double-blind, crossover study of Korean red ginseng's effects on impotence reported that it can be an effective alternative for treating male erectile dysfunction.^[15]

A study shows that Red ginseng reduces the relapse of gastric cancer versus control^[16]

A study of ginseng's effects on rats show that while both *White ginseng* and *Red ginseng* reduce the incidence of cancer, the effects appear to be greater with *Red ginseng*.^[17]

Falcarinol, a seventeen-carbon diyne fatty alcohol was isolated from carrot and red ginseng, shown to have potent anticancer properties on primary mammary epithelial (breast cancer) cells.^[18] Other acetylenic fatty alcohols in ginseng (panaxacol, panaxydol, panaxytriol) have antibiotic properties.^[19]



Red ginseng

Wild ginseng

Wild ginseng is ginseng that has not been planted and cultivated domestically, rather it is that which grows naturally and is harvested from wherever it is found to be growing. It is considered to be superior to field farmed ginseng by various authorities, and it has been shown to contain higher levels of ginsenoside. Wild ginseng is relatively rare and even increasingly endangered, due in large part to high demand for the product in recent years, which has led to the wild plants being sought out and harvested faster than new ones can grow (it requires years for a ginseng root to reach maturity). Wild ginseng can be either Asian or American and can be processed to be red ginseng.

There are woods grown American ginseng programs in Maine, Tennessee, Virginia and North Carolina.^{[20][21]} and United Plant Savers has been encouraging the woods planting of ginseng both to restore natural habitats and to remove pressure from any remaining wild ginseng, and they offer both advice and sources of rootlets. Woods grown plants have comparable value to wild grown ginseng of similar age.

Ginseng alternatives

These mostly adaptogenic plants are sometimes referred to as ginsengs, but they are either from a different family or genus. Only Jiaogulan actually contains ginsenosides, although ginsenosides alone do not determine the effectiveness of ginseng. Since each of these plants have different uses, one should

research their properties before using. Descriptions and differentiation can be found in David Winston and Steven Maimes book *Adaptogens*^[22]

- *Gynostemma pentaphyllum* (Southern ginseng, aka Jiaogulan)
- *Eleutherococcus senticosus* (Siberian ginseng)
- *Pseudostellaria heterophylla* (Prince ginseng)
- *Withania somnifera* (Indian ginseng, aka Ashwagandha)
- *Pfaffia paniculata* (Brazilian ginseng)
- *Lepidium meyenii* (Peruvian ginseng, aka Maca)

Other plants which are referred to as ginsengs may not be adaptogens (although notoginseng is in the *Panax* family):

- *Angelica sinensis* (Female ginseng, aka Dong Quai)
- *Panax notoginseng* (San qi, hemostatic ingredient in Yunnan Bai Yao)

References

1. ^{a b} McElhaney JE *et al* (2004). "A placebo-controlled trial of a proprietary extract of North American ginseng (CVT-E002) to prevent acute respiratory illness in institutionalized older adults". *J Am Geriatr Soc* **52** (1): 13–19. PMID 14687309.
2. [^] Davydov M, Krikorian AD. (October 2000). "Eleutherococcus senticosus (Rupr. & Maxim.) Maxim. (Araliaceae) as an adaptogen: a closer look.". *Journal of Ethnopharmacology* **72** (3): 345-393. PMID 6685799.
3. [^] Lewis WH, Zenger VE, Lynch RG. (August 1983). "No adaptogen response of mice to ginseng and Eleutherococcus infusions.". *Journal of Ethnopharmacology* **8** (2): 209-214. PMID 6685799.
4. [^] Caso Marasco A, Vargas Ruiz R, Salas Villagomez A, Begona Infante C. (1996). "Double-blind study of a multivitamin complex supplemented with ginseng extract.". *Drugs Exp Clin Res.* **22** (6): 323–329. PMID 9034759.
5. [^] Shin HR, Kim JY, Yun TK, Morgan G, Vainio H (2000). "The cancer-preventive potential of Panax ginseng: a review of human and experimental evidence". *Cancer Causes Control* **11** (6): 565–576. PMID 10880039.
6. [^] [1] Treasure, Jonathan. *Medline & The Mainstream Manufacture of Misinformation* 2006
7. [^] Stockley, IH (2002), *Stockley's Drug Interactions*. 6th ed. London: Pharmaceutical Press.
8. [^] WHO (1999), "Radix Ginseng", in, WHO Monographs on Selected Medicinal Plants, Geneva: World Health Organization, 168-182.
9. [^] Hong B; Ji YH; Hong JH; Nam KY; Ahn TYA **double-blind crossover study evaluating the efficacy of korean red ginseng in patients with erectile dysfunction: a preliminary report.** J Urol. 2002; 168 (5):2070-3 (ISSN: 0022-5347)Department of Urology, University of Ulsan College of Medicine, Asan Medical Center, Seoul, Korea
10. [^] de Andrade E; de Mesquita AA; Claro Jde A; de Andrade PM; Ortiz V; Paranhos M; Srougi M **Study of the efficacy of Korean Red Ginseng in the treatment of erectile dysfunction.** Sector of Sexual Medicine, Division of Urological Clinic of Sao Paulo University, Sao Paulo, Brazil.
11. [^] <http://www.umass.edu/cnshp/faq.html>
12. [^] <http://www.aafp.org/afp/20031015/1539.html>
13. [^] <http://www.itmonline.org/arts/ginseng.htm>
14. [^] Chinese Herbal Medicine: Materia Medica, Third Edition by Dan Bensky, Steven Clavey, Erich Stoger, and Andrew Gamble 2004
15. [^] Hong B, Ji YH, Hong JH, Nam KY, Ahn TY. (2002). "A double-blind crossover study evaluating the efficacy of Korean red ginseng in patients with erectile dysfunction: a preliminary report". *Journal of Urology* **168** (5): 20–21. PMID 12394711.
16. [^] Suh SO, Kroh M, Kim NR, Joh YG, Cho MY. (2002). "Effects of red ginseng upon postoperative immunity and survival in patients with stage III gastric cancer.". *American Journal of Chinese Medicine.* **30**

- (4): 483–94. PMID 12568276.
17. ^ Yun TK, Lee YS, Lee YH, Kim SI, Yun HY (2001). "Anticarcinogenic effect of *Panax ginseng* C.A. Meyer and identification of active compounds.". *Journal of Korean Medical Science* **16** (S): 6–18. PMID 11748383.
 18. ^ [2]
 19. ^ [3]
 20. ^ <http://www.state.tn.us/environment/na/ginseng.shtml>
 21. ^ <http://www.ces.ncsu.edu/depts/hort/hil/hil-127.html>
 22. ^ Winston, David & Maimes, Steven. "Adaptogens: Herbs for Strength, Stamina, and Stress Relief," Healing Arts Press, 2007

See also

- Adaptogen
- Cold fX
- *Eleutherococcus senticosus*
- Chinese medicine
- Herbalism
- Food therapy
- *Salvia miltiorrhiza* "Poor man's ginseng"

External links

- Phytochemicals in Korean Ginseng
- The Journal of the American Botanical Council HerbalGram. 2003;57:35 American Botanical Council
- Overdose and Safety information
- Ginseng Abuse Syndrome disputed
- "Ginseng may reduce number, severity of colds". (Nov. 6, 2005). *New Sunday Times*, p. F19.
- Drugs & Supplements - Mayo Clinic
- *Panax ginseng* - American Family Physician

Retrieved from "<http://en.wikipedia.org/wiki/Ginseng>"

Categories: All articles with unsourced statements | Articles with unsourced statements since November 2007 | All pages needing cleanup | Articles that may contain original research since September 2007 | Araliaceae | Herbs | Chinese ingredients | Korean ingredients | Medicinal plants | Dietary supplements | Traditional Chinese medicine

- This page was last modified 07:58, 2 January 2008.
- All text is available under the terms of the GNU Free Documentation License. (See **Copyrights** for details.)
Wikipedia® is a registered trademark of the Wikimedia Foundation, Inc., a U.S. registered 501(c)(3) tax-deductible nonprofit charity.

Ashwagandha

From Wikipedia, the free encyclopedia

Ashwagandha (*Withania somnifera*), also known as **Indian ginseng**, **Winter cherry**, **Ajagandha**, **Kanaje Hindi** and **Samm Al Ferakh**, is a plant in *Solanaceae* or nightshade family.

It grows as a stout shrub that reaches a height of 170cm. Like the tomato which belongs to the same family, ashwagandha bears yellow flowers and red fruit, though its fruit is berry-like in size and shape. Ashwagandha grows prolifically in India, Pakistan, and Sri Lanka.

Contents

- 1 Medicinal use
 - 1.1 Active Constituents
- 2 History
- 3 Other species
- 4 References

Ashwagandha 	
Scientific classification	
Kingdom:	Plantae
Subkingdom:	Tracheobionta
Division:	Magnoliophyta
Class:	Magnoliopsida
Subclass:	Asteridae
Order:	Solanales
Family:	Solanaceae
Genus:	<i>Withania</i>
Species:	<i>W. somnifera</i>
Binomial name	
<i>Withania somnifera</i> L.	

Medicinal use

All parts of the plant are used in herbal medicine. In Ayurveda, the fresh roots are sometimes boiled in milk, prior to drying, in order to leach out undesirable constituents. The berries are used as a substitute for rennet, to coagulate milk in cheese making.

Ashwagandha in Sanskrit means "horse's smell", probably originating from the odor of its root which resembles that of sweaty horse.[1] The species name *somnifera* means "sleep-bearing" in Latin, indicating it was considered a sedative, but it has been also used for sexual vitality and as an adaptogen. Some herbalists refer to ashwagandha as Indian ginseng, since it is used in ayurvedic medicine in a way similar to that ginseng is used in traditional Chinese medicine.

The product called "ashwagandha oil" is a combination of ashwagandha with almond oil and rose water designed to be used as a facial toner, therefore should not be consumed. Nashi Widodo and co-workers in Tsukuba, Ibaraki (Japan) have now shown that an extract of ashwagandha acts as a tumor inhibitor, in the journal Clinical Cancer Research (April 2007).

Active Constituents

pyrazol Alkaloids, steroidal lactones, saponins, withanolides (Bone 1996: 137).

History

Robin Lane Fox, in his biography of Alexander the Great, claims *Withania somnifera* was used in wine in ancient times.

According to Anne Van Arsdall, *Withania somnifera* was called *apollinaris* and also *glofwyrt* in *The Old English Herbarium*, and had a legend that Apollo found it first and gave it to the healer Aesculapius. The main constituents of ashwagandha are alkaloids and steroidal lactones. Among the various alkaloids, withanine is the main constituent. The other alkaloids are somniferine, somnine, somniferinine, withananine, psuedo-withanine, tropine, psuedo-tropine, 3-a-gloyloxytropane, choline, cuscohygrine, isopelletierine, anaferine and anahydrine. Two acyl steryl glucoside viz. Sitoindoside VII and sitoindoside VIII have been isolated from root. The leaves contain steroidal lactones, which are commonly called Withanolides. The withanolides have C28 steroidal nucleus with C9 side chain, having six membered lactone ring.

Other species

There are over 20 other species of the *Withania* genus that occur in the dry parts of India, North Africa, Middle East, and the Mediterranean. These include *Withania coagulens* and *Withania simonii*, the roots of which are sometimes used interchangeably with those of *Withania somnifera*.

Withania somnifera itself has been extensively domesticated from the wild form. In India, at least five different cultivars have been developed for increased root size and adaptation to different climates.

References

- *Prescription for Herbal Healing*, by Phyllis A. Balch, Avery Publishing Group. ISBN 0-89529-869-4
- *Alexander the Great*, by Robin Lane Fox, Penguin Books. ISBN 0-14-303513-4
- *Making Plant Medicine*, by Richard A. Cech, Horizon Herbs. ISBN 0-9700312-0-3
- *Medieval Herbal Remedies: The Old English Herbarium and Anglo-Saxon Medicine*, by Anne Van Arsdall, Routledge. ISBN 0-415-93849-X
- University of Connecticut, Ecology & Evolutionary Biology Conservatory (accessed 11 October 2005)
- Bone, K. 1996, *Clinical Applications of Ayurvedic and Chinese Herbs*, Phytotherapy Press, Warwick, Queensland, Australia. ISBN 0-646-29502-0
- David Winston & Steven Maimes. "ADAPTOGENS: Herbs for Strength, Stamina, and Stress Relief," Healing Arts Press, 2007. A guide to adaptogenic herbs with overview, history, actions, health benefits, 21 monographs including ashwagada; and chapters on adaptogens as food and adaptogens for animals. Adaptogen

Retrieved from "<http://en.wikipedia.org/wiki/Ashwagandha>"

Categories: Herbs | Adaptogen | Medicinal plants | Solanaceae

- This page was last modified 17:23, 4 April 2007.
 - All text is available under the terms of the GNU Free Documentation License. (See **Copyrights** for details.)
- Wikipedia® is a registered trademark of the Wikimedia Foundation, Inc., a US-registered 501(c)(3) tax-deductible nonprofit charity.